

# The pdfcolparallel package

Heiko Oberdiek\*

2019/12/29 v1.5

## Abstract

This packages fixes bugs in `parallel` and improves color support by using several color stacks that are provided by pdfTeX since version 1.40.

## Contents

<b>1 Usage</b>	<b>1</b>
1.1 Option <code>rulebetweencolor</code>	2
1.2 Future	2
<b>2 Implementation</b>	<b>2</b>
2.1 Identification	2
2.2 Load and fix package <code>parallel</code>	2
2.3 Color stack support	7
2.4 Redefinitions	8
<b>3 Installation</b>	<b>11</b>
3.1 Download	11
3.2 Bundle installation	11
3.3 Package installation	11
3.4 Refresh file name databases	11
3.5 Some details for the interested	11
<b>4 References</b>	<b>12</b>
<b>5 History</b>	<b>12</b>
[2007/09/09 v1.0]	12
[2007/12/12 v1.1]	12
[2008/08/11 v1.2]	12
[2010/01/11 v1.3]	12
[2016/05/16 v1.4]	13
[2019/12/29 v1.5]	13
<b>6 Index</b>	<b>13</b>

---

\*Please report any issues at <https://github.com/ho-tex/oberdiek/issues>

# 1 Usage

```
\usepackage{pdfcolparallel}
```

The package `pdfcolparallel` loads package `parallel` [1] and redefines some macros to fix bugs.

If color stacks are available then package `parallel` is further patched to support them.

## 1.1 Option `rulebetweencolor`

Package `pdfcolparallel` also fixes the color for the rule between columns. Default color is `\normalcolor`. But this can be changed by using option `rulebetweencolor` for `\setkeys{parallel}` (see package `keyval`). The option takes a color specification as value. If the value is empty, then the default (`\normalcolor`) is used. Examples:

```
\setkeys{parallel}{rulebetweencolor=blue},
\setkeys{parallel}{rulebetweencolor={red}},
\setkeys{parallel}{rulebetweencolor={}}, % \normalcolor is
used
\setkeys{parallel}{rulebetweencolor=[rgb]{1,0,.5}}
```

## 1.2 Future

If there will be a new version of package `parallel` that adds support for color stacks, then this package may become obsolete.

# 2 Implementation

## 2.1 Identification

```
1 (*package)
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{pdfcolparallel}%
4 [2019/12/29 v1.5 Color stacks support for parallel (H0)]%
```

## 2.2 Load and fix package `parallel`

Package `parallel` is loaded. Before options of package `pdfcolparallel` are passed to package `parallel`.

```
5 \DeclareOption*{%
6   \PassOptionsToPackage{\CurrentOption}{parallel}%
7 }
8 \ProcessOptions\relax
9 \RequirePackage{parallel}[2003/04/13]
10 \RequirePackage{infwarerr}[2007/09/09]
```

```
\pcp@ColorPatch
```

```
11 \begingroup\expandafter\expandafter\expandafter\endgroup
12 \expandafter\ifx\csname currentgrouplevel\endcsname\relax
13   \def\pcp@ColorPatch{}%
14 \else
15   \def\pcp@ColorPatch{%
16     \@ifundefined{set@color}{%
17       \gdef\pcp@ColorPatch{}%
```

```

18   }{%
19     \gdef\pcp@ColorPatch{%
20       \gdef\pcp@ColorResets{}%
21       \bgroup
22       \aftergroup\pcp@ColorResets
23       \aftergroup\egroup
24       \let\pcp@OrgSetColor\set@color
25       \let\set@color\pcp@SetColor
26       \edef\pcp@GroupLevel{\the\currentgrouplevel}%
27     }%
28   }%
29   \pcp@ColorPatch
30 }%

```

\pcp@SetColor

```

31 \def\pcp@SetColor{%
32   \ifnum\pcp@GroupLevel=\currentgrouplevel
33     \let\pcp@OrgAfterGroup\aftergroup
34     \def\aftergroup{%
35       \g@addto@macro\pcp@ColorResets
36     }%
37     \pcp@OrgSetColor
38     \let\aftergroup\pcp@OrgAfterGroup
39   \else
40     \pcp@OrgSetColor
41   \fi
42 }%
43 \fi

```

\pcp@CmdCheckRedef

```

44 \def\pcp@CmdCheckRedef#1{%
45   \begingroup
46   \def\pcp@cmd{#1}%
47   \afterassignment\pcp@CmdDo
48   \long\def\reserved@a
49 }
50 \def\pcp@CmdDo{%
51   \expandafter\ifx\pcp@cmd\reserved@a
52   \else
53     \edef\x*{\expandafter\string\pcp@cmd}%
54     \@PackageWarningNoLine{pdfcolparallel}{%
55       Command \x* has changed.\MessageBreak
56       Supported versions of package 'parallel':\MessageBreak
57       \space\space 2003/04/13\MessageBreak
58       The redefinition of \x* may\MessageBreak
59       not behave correctly depending on the changes%
60     }%
61   \fi
62   \expandafter\endgroup
63   \expandafter\def\pcp@cmd
64 }
65 \def\pcp@SwitchStack#1#2{}
66 \def\pcp@SetCurrent#1{}

```

\ParallellText

```

67 \pcp@CmdCheckRedef\ParallellText{%
68   \everypar{}%

```

```

69 \@restorepar
70 \begingroup
71   \hbadness=3000 %
72   \let\footnote=\ParallelFootnote
73   \ParallelWhichBox=0 %
74   \global\setbox\ParallelLBox=\vbox\bgroup
75     \hsize=\ParallelLWidth
76     \aftergroup\ParallelAfterText
77     \begingroup
78       \afterassignment\ParallelCheckOpenBrace
79       \let\x=%
80 }{%
81   \everypar{}%
82   \@restorepar
83   \@nobeckfalse
84   \begingroup
85     \hbadness=3000 %
86     \let\footnote=\ParallelFootnote
87     \ParallelWhichBox=0 %
88     \global\setbox\ParallelLBox=\vbox\bgroup
89       \hsize=\ParallelLWidth
90       \linewidth=\ParallelLWidth
91       \pcp@SwitchStack{Left}\ParallelLBox
92       \aftergroup\ParallelAfterText
93       \pcp@ColorPatch
94       \begingroup
95         \afterassignment\ParallelCheckOpenBrace
96         \let\x=%
97 }

```

\ParallelRText

```

98 \pcp@CmdCheckRedef\ParallelRText{%
99   \everypar{}%
100   \@restorepar
101   \begingroup
102     \hbadness=3000 %
103     \ifnum\ParallelFNMode=\@ne
104       \let\footnote=\ParallelRFootnote
105     \else
106       \let\footnote=\ParallelFootnote
107     \fi
108     \ParallelWhichBox=\@ne
109     \global\setbox\ParallelRBox=\vbox\bgroup
110       \hsize=\ParallelRWidth
111       \aftergroup\ParallelAfterText
112       \begingroup
113         \afterassignment\ParallelCheckOpenBrace
114         \let\x=%
115 }{%
116   \everypar{}%
117   \@restorepar
118   \@nobeckfalse
119   \begingroup
120     \hbadness=3000 %
121     \ifnum\ParallelFNMode=\@ne
122       \let\footnote=\ParallelRFootnote
123     \else
124       \let\footnote=\ParallelFootnote

```

```

125 \fi
126 \ParallelWhichBox=\@ne
127 \global\setbox\ParallelRBox=\vbox\bgroup
128 \hsize=\ParallelRWidth
129 \linewidth=\ParallelRWidth
130 \pcp@SwitchStack{Right}\ParallelRBox
131 \aftergroup\ParallelAfterText
132 \pcp@ColorPatch
133 \beginngroup
134 \afterassignment\ParallelCheckOpenBrace
135 \let\x=%
136 }

```

\ParallelParTwoPages

```

137 \pcp@CmdCheckRedef\ParallelParTwoPages{%
138 \ifnum\ParallelBoolVar=\@ne
139 \par
140 \beginngroup
141 \global\ParallelWhichBox=\@ne
142 \newpage
143 \vbadness=10000 %
144 \vfuzz=3ex %
145 \splittopskip=\z@skip
146 \loop%
147 \ifnum\ParallelBoolVar=\@ne%
148 \ifnum\ParallelWhichBox=\@ne
149 \ifvoid\ParallelLBox
150 \mbox{} %
151 \newpage
152 \else
153 \global\ParallelWhichBox=\z@
154 \fi
155 \else
156 \ifvoid\ParallelRBox
157 \mbox{} %
158 \newpage
159 \else
160 \global\ParallelWhichBox=\@ne
161 \fi
162 \fi
163 \ifnum\ParallelWhichBox=\z@
164 \ifodd\thepage
165 \mbox{} %
166 \newpage
167 \fi
168 \hbox to\textwidth{%
169 \vbox{\vsplit\ParallelLBox to.98\textheight}%
170 }%
171 \else
172 \ifodd\thepage\relax
173 \else
174 \mbox{} %
175 \newpage
176 \fi
177 \hbox to\textwidth{%
178 \vbox{\vsplit\ParallelRBox to.98\textheight}%
179 }%
180 \fi

```

```

181     \vspace*{\fill}%
182     \newpage
183     \fi
184     \ifvoid\ParallellLBox
185     \ifvoid\ParallellRBox
186     \global\ParallellBoolVar=\z@
187     \fi
188     \fi
189     \ifnum\ParallellBoolVar=\@ne
190     \repeat
191     \par
192 \endgroup
193 \fi
194 }{%
```

Additional fixes:

- Unnecessary white space removed.
- `\ifodd\thepage` changed to `\ifodd\value{page}`.

```

195 \ifnum\ParallellBoolVar=\@ne
196 \par
197 \begingroup
198 \global\ParallellWhichBox=\@ne
199 \newpage
200 \vbadness=10000 %
201 \vfuzz=3ex %
202 \splittopskip=\z@skip
203 \loop%
204 \ifnum\ParallellBoolVar=\@ne%
205 \ifnum\ParallellWhichBox=\@ne
206 \ifvoid\ParallellLBox
207 \mbox{}%
208 \newpage
209 \else
210 \global\ParallellWhichBox=\z@
211 \fi
212 \else
213 \ifvoid\ParallellRBox
214 \null
215 \newpage
216 \else
217 \global\ParallellWhichBox=\@ne
218 \fi
219 \fi
220 \ifnum\ParallellWhichBox=\z@
221 \ifodd\value{page}%
222 \null
223 \newpage
224 \fi
225 \hbox to\textwidth{%
226 \pcp@SetCurrent{Left}%
227 \setbox\z@=\vsplit\ParallellLBox to.98\textheight
228 \vbox to.98\textheight{%
229 \@texttop
230 \unvbox\z@
231 \@textbottom
232 }%
233 }%
```

```

234     \else
235         \ifodd\value{page}%
236     \else
237         \mbox{}%
238         \newpage
239     \fi
240     \hbox to\textwidth{%
241         \pcp@SetCurrent{Right}%
242         \setbox\z@=\vsplit\ParallelRBox to.98\textheight
243         \vbox to.98\textheight{%
244             \@texttop
245             \unvbox\z@
246             \@textbottom
247         }%
248     }%
249     \fi
250     \vspace*{\fill}%
251     \newpage
252 \fi
253 \ifvoid\ParallellBox
254 \ifvoid\ParallelRBox
255     \global\ParallelBoolVar=\z@
256 \fi
257 \fi
258 \ifnum\ParallelBoolVar=\@ne
259     \repeat
260     \par
261 \endgroup
262 \pcp@SetCurrent{}%
263 \fi
264 }

```

## 2.3 Color stack support

```

265 \RequirePackage{pdfcol}[2007/12/12]
266 \ifpdfcolAvailable
267 \else
268     \PackageInfo{pdfcolparallel}{%
269         Loading aborted, because color stacks are not available%
270     }%
271     \expandafter\endinput
272 \fi

273 \pdfcolInitStack{pcp@Left}
274 \pdfcolInitStack{pcp@Right}

\pcp@Box
275 \newbox\pcp@Box

\pcp@SwitchStack
276 \def\pcp@SwitchStack#1#2{%
277     \pdfcolSwitchStack{pcp@#1}%
278     \global\setbox\pcp@Box=\vbox to 0pt{%
279         \pdfcolSetCurrentColor
280     }%
281     \aftergroup\pcp@FixBox
282     \aftergroup#2%
283 }

```

\pcp@FixBox

```
284 \def\pcp@FixBox#1{%
285   \global\setbox#1=\vbox{%
286     \unvbox\pcp@Box
287     \unvbox#1%
288   }%
289 }
```

\pcp@SetCurrent

```
290 \def\pcp@SetCurrent#1{%
291   \ifx\#1\%
292     \pdfcolSetCurrent{}%
293   \else
294     \pdfcolSetCurrent{pcp@#1}%
295   \fi
296 }
```

## 2.4 Redefinitions

\ParallelParOnePage

```
297 \pcp@CmdCheckRedef\ParallelParOnePage{%
298   \ifnum\ParallelBoolVar=\@ne
299     \par
300     \begingroup
301       \leftmargin=\z@
302       \rightmargin=\z@
303       \parskip=\z@skip
304       \parindent=\z@
305       \vbadness=10000 %
306       \vfuzz=3ex %
307       \splittopskip=\z@skip
308       \loop
309         \ifnum\ParallelBoolVar=\@ne
310           \noindent
311           \hbox to\textwidth{%
312             \hskip\ParallelLeftMargin
313             \hbox to\ParallelTextWidth{%
314               \ifvoid\ParallelLBox
315                 \hskip\ParallelLWidth
316               \else
317                 \ParallelWhichBox=\z@
318                 \vbox{%
319                   \setbox\ParallelBoxVar
320                     =\vsplit\ParallelLBox to\dp\strutbox
321                   \unvbox\ParallelBoxVar
322                 }%
323               \fi
324               \strut
325             \ifnum\ParallelBoolMid=\@ne
326               \hskip\ParallelMainMidSkip
327               \vrule
328             \else
329               \hss
330             \fi
331             \hss
332           \ifvoid\ParallelRBox
333             \hskip\ParallelRWidth
```



```

334         \else
335         \ParallelWhichBox=\@ne
336         \vbox{%
337         \setbox\ParallelBoxVar
338         =\vsplit\ParallelRBox to\dp\strutbox
339         \unvbox\ParallelBoxVar
340         }%
341         \fi
342     }%
343 }%
344 \ifvoid\ParallelLBox
345 \ifvoid\ParallelRBox
346 \global\ParallelBoolVar=\z@
347 \fi
348 \fi%
349 \fi%
350 \ifnum\ParallelBoolVar=\@ne
351 \penalty\interlinepenalty
352 \repeat
353 \par
354 \endgroup
355 \fi
356 }{%
357 \ifnum\ParallelBoolVar=\@ne
358 \par
359 \begingroup
360 \leftmargin=\z@
361 \rightmargin=\z@
362 \parskip=\z@skip
363 \parindent=\z@
364 \vbadness=10000 %
365 \vfuzz=3ex %
366 \splittopskip=\z@skip
367 \loop
368 \ifnum\ParallelBoolVar=\@ne
369 \noindent
370 \hbox to\textwidth{%
371 \hskip\ParallelLeftMargin
372 \hbox to\ParallelTextWidth{%
373 \ifvoid\ParallelLBox
374 \hskip\ParallelLWidth
375 \else
376 \pcp@SetCurrent{Left}%
377 \ParallelWhichBox=\z@
378 \vbox{%
379 \setbox\ParallelBoxVar
380 =\vsplit\ParallelLBox to\dp\strutbox
381 \unvbox\ParallelBoxVar
382 }%
383 \fi
384 \strut
385 \ifnum\ParallelBoolMid=\@ne
386 \hskip\ParallelMainMidSkip
387 \begingroup
388 \pcp@RuleBetweenColor
389 \vrule
390 \endgroup
391 \else

```

```

392         \hss
393     \fi
394     \hss
395     \ifvoid\ParallelRBox
396         \hskip\ParallelRWidth
397     \else
398         \pcp@SetCurrent{Right}%
399         \ParallelWhichBox=\@ne
400         \vbox{%
401             \setbox\ParallelBoxVar
402                 =\vsplit\ParallelRBox to\dp\strutbox
403             \unvbox\ParallelBoxVar
404         }%
405     \fi
406 }%
407 }%
408 \ifvoid\ParallelLBox
409     \ifvoid\ParallelRBox
410         \global\ParallelBoolVar=\z@
411     \fi
412 \fi%
413 \fi%
414 \ifnum\ParallelBoolVar=\@ne
415     \penalty\interlinepenalty
416 \repeat
417 \par
418 \endgroup
419 \pcp@SetCurrent{}%
420 \fi
421 }

```

\pcp@RuleBetweenColorDefault

```

422 \def\pcp@RuleBetweenColorDefault{%
423     \normalcolor
424 }

```

\pcp@RuleBetweenColor

```

425 \let\pcp@RuleBetweenColor\pcp@RuleBetweenColorDefault

426 \RequirePackage{keyval}
427 \define@key{parallel}{rulebetweencolor}{%
428     \edef\pcp@temp{#1}%
429     \ifx\pcp@temp\@empty
430         \let\pcp@RuleBetweenColor\pcp@RuleBetweenColorDefault
431     \else
432         \edef\pcp@temp{%
433             \noexpand\@ifnextchar [%
434                 \def\noexpand\pcp@RuleBetweenColor{%
435                     \noexpand\color\pcp@temp
436                 }%
437             \noexpand\pcp@GobbleNil
438         }{%
439             \def\noexpand\pcp@RuleBetweenColor{%
440                 \noexpand\color{\pcp@temp}%
441             }%
442             \noexpand\pcp@GobbleNil
443         }%
444         \pcp@temp\noexpand\@nil

```

```

445     }%
446     \pcp@temp
447     \fi
448 }

\pcp@GobbleNil
449 \long\def\pcp@GobbleNil#1\@nil{}
450 \end{package}

```

## 3 Installation

### 3.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/pdfcolparallel.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/pdfcolparallel.pdf](#) Documentation.

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

*TDS* refers to the standard “A Directory Structure for T<sub>E</sub>X Files” ([CTAN:pkg/tds](#)). Directories with `texmf` in their name are usually organized this way.

### 3.2 Bundle installation

**Unpacking.** Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

### 3.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting docstrip archive. The files are extracted by running the `.dtx` through plain T<sub>E</sub>X:

```
tex pdfcolparallel.dtx
```

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```

pdfcolparallel.sty → tex/latex/oberdiek/pdfcolparallel.sty
pdfcolparallel.pdf → doc/latex/oberdiek/pdfcolparallel.pdf
pdfcolparallel.dtx → source/latex/oberdiek/pdfcolparallel.dtx

```

If you have a `docstrip.cfg` that configures and enables docstrip’s TDS installing feature, then some files can already be in the right place, see the documentation of docstrip.

---

<sup>1</sup>[CTAN:pkg/pdfcolparallel](#)

### 3.4 Refresh file name databases

If your T<sub>E</sub>X distribution (T<sub>E</sub>X Live, MiK<sub>T</sub>E<sub>X</sub>, ...) relies on file name databases, you must refresh these. For example, T<sub>E</sub>X Live users run `texhash` or `mktextlsr`.

### 3.5 Some details for the interested

**Unpacking with L<sup>A</sup>T<sub>E</sub>X.** The `.dtx` chooses its action depending on the format:

**plain T<sub>E</sub>X:** Run `docstrip` and extract the files.

**L<sup>A</sup>T<sub>E</sub>X:** Generate the documentation.

If you insist on using L<sup>A</sup>T<sub>E</sub>X for `docstrip` (really, `docstrip` does not need L<sup>A</sup>T<sub>E</sub>X), then inform the `autodetect` routine about your intention:

```
latex \let\install=y\input{pdfcolparallel.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL<sup>A</sup>T<sub>E</sub>X:

```
pdflatex pdfcolparallel.dtx
makeindex -s gind.ist pdfcolparallel.idx
pdflatex pdfcolparallel.dtx
makeindex -s gind.ist pdfcolparallel.idx
pdflatex pdfcolparallel.dtx
```

## 4 References

- [1] Matthias Eckermann: *The parallel-package*; 2003/04/13;  
[CTAN:pkg/parallel](#).
- [2] Heiko Oberdiek: *The pdfcol package*; 2007/09/09;  
[CTAN:pkg/pdfcol](#).

## 5 History

[2007/09/09 v1.0]

- First version.

[2007/12/12 v1.1]

- Adds patch for setting `\linewidth` to fix bug in package `parallel`.
- Package `parallel` is also fixed if color stacks are not available.
- Bug fix, switched stacks now initialized with current color.
- Fix for package `parallel`: `\raggedbottom` is respected.

## [2008/08/11 v1.2]

- Code is not changed.
- URLs updated.

## [2010/01/11 v1.3]

- Option ‘rulebetweenecolor’ added.

## [2016/05/16 v1.4]

- Documentation updates.

## [2019/12/29 v1.5]

- `\PassOptionsToPackage` not `\PassoptionsToPackage`

# 6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols	
<code>\@PackageWarningNoLine</code> .....	54
<code>\@empty</code> .....	429
<code>\@ifnextchar</code> .....	433
<code>\@ifundefined</code> .....	16
<code>\@ne</code> <i>103, 108, 121, 126, 138, 141, 147,</i> <i>148, 160, 189, 195, 198, 204,</i> <i>205, 217, 258, 298, 309, 325,</i> <i>335, 350, 357, 368, 385, 399, 414</i>	
<code>\@nil</code> .....	444, 449
<code>\@nobreakfalse</code> .....	83, 118
<code>\@restorepar</code> .....	69, 82, 100, 117
<code>\@textbottom</code> .....	231, 246
<code>\@texttop</code> .....	229, 244
<code>\@</code> .....	291
A	
<code>\afterassignment</code> .	47, 78, 95, 113, 134
<code>\aftergroup</code> .....	22, 23, <i>33, 34, 38, 76, 92, 111, 131, 281, 282</i>
C	
<code>\color</code> .....	435, 440
<code>\csname</code> .....	12
<code>\currentgrouplevel</code> .....	26, 32
<code>\CurrentOption</code> .....	6
D	
<code>\DeclareOption</code> .....	5
<code>\define@key</code> .....	427
<code>\dp</code> .....	320, 338, 380, 402
E	
<code>\endcsname</code> .....	12
<code>\endinput</code> .....	271
<code>\everypar</code> .....	68, 81, 99, 116
F	
<code>\fill</code> .....	181, 250
<code>\footnote</code> ...	72, 86, 104, 106, 122, 124
G	
<code>\g@addto@macro</code> .....	35
<code>\gdef</code> .....	17, 19, 20
H	
<code>\hbadness</code> .....	71, 85, 102, 120
<code>\hbox</code> .....	168, <i>177, 225, 240, 311, 313, 370, 372</i>
<code>\hsize</code> .....	75, 89, 110, 128
<code>\hskip</code> .....	312, <i>315, 326, 333, 371, 374, 386, 396</i>
<code>\hss</code> .....	329, 331, 392, 394
I	
<code>\ifnum</code> .....	32, 103, <i>121, 138, 147, 148, 163, 189,</i> <i>195, 204, 205, 220, 258, 298,</i> <i>309, 325, 350, 357, 368, 385, 414</i>
<code>\ifodd</code> .....	164, 172, 221, 235
<code>\ifpdfcolAvailable</code> .....	266
<code>\ifvoid</code> .....	149, 156, 184, <i>185, 206, 213, 253, 254, 314,</i> <i>332, 344, 345, 373, 395, 408, 409</i>
<code>\ifx</code> .....	12, 51, 291, 429
<code>\interlinepenalty</code> .....	351, 415

<b>L</b>	
<code>\leftmargin</code> .....	301, 360
<code>\linewidth</code> .....	90, 129
<code>\loop</code> .....	146, 203, 308, 367
<b>M</b>	
<code>\mbox</code> .....	150, 157, 165, 174, 207, 237
<code>\MessageBreak</code> .....	55, 56, 57, 58
<b>N</b>	
<code>\NeedsTeXFormat</code> .....	2
<code>\newbox</code> .....	275
<code>\newpage</code> ..	142, 151, 158, 166, 175, 182, 199, 208, 215, 223, 238, 251
<code>\noindent</code> .....	310, 369
<code>\normalcolor</code> .....	423
<code>\null</code> .....	214, 222
<b>P</b>	
<code>\PackageInfo</code> .....	268
<code>\par</code> 139, 191, 196, 260, 299, 353, 358, 417	
<code>\ParallelAfterText</code> ...	76, 92, 111, 131
<code>\ParallelBoolMid</code> .....	325, 385
<code>\ParallelBoolVar</code> ..	138, 147, 186, 189, 195, 204, 255, 258, 298, 309, 346, 350, 357, 368, 410, 414
<code>\ParallelBoxVar</code> .....	319, 321, 337, 339, 379, 381, 401, 403
<code>\ParallelCheckOpenBrace</code> .....	78, 95, 113, 134
<code>\ParallelFNMode</code> .....	103, 121
<code>\ParallelLBox</code> .....	74, 88, 91, 149, 169, 184, 206, 227, 253, 314, 320, 344, 373, 380, 408
<code>\ParallelLeftMargin</code> .....	312, 371
<code>\ParallelLFootnote</code> ...	72, 86, 106, 124
<code>\ParallelLText</code> .....	67
<code>\ParallelLWidth</code> ..	75, 89, 90, 315, 374
<code>\ParallelMainMidSkip</code> .....	326, 386
<code>\ParallelParOnePage</code> .....	297
<code>\ParallelParTwoPages</code> .....	137
<code>\ParallelRBox</code> .....	109, 127, 130, 156, 178, 185, 213, 242, 254, 332, 338, 345, 395, 402, 409
<code>\ParallelRFootnote</code> .....	104, 122
<code>\ParallelRText</code> .....	98
<code>\ParallelRWidth</code> 110, 128, 129, 333, 396	
<code>\ParallelTextWidth</code> .....	313, 372
<code>\ParallelWhichBox</code> .....	73, 87, 108, 126, 141, 148, 153, 160, 163, 198, 205, 210, 217, 220, 317, 335, 377, 399
<code>\parindent</code> .....	304, 363
<code>\parskip</code> .....	303, 362
<code>\PassOptionsToPackage</code> .....	6
<code>\pcp@Box</code> .....	275, 278, 286
<code>\pcp@cmd</code> .....	46, 51, 53, 63
<code>\pcp@CmdCheckRedef</code> 44, 67, 98, 137, 297	
<code>\pcp@CmdDo</code> .....	47, 50
<code>\pcp@ColorPatch</code> .....	11, 93, 132
<code>\pcp@ColorResets</code> .....	20, 22, 35
<code>\pcp@FixBox</code> .....	281, 284
<code>\pcp@GobbleNil</code> .....	437, 442, 449
<code>\pcp@GroupLevel</code> .....	26, 32
<code>\pcp@OrgAfterGroup</code> .....	33, 38
<code>\pcp@OrgSetColor</code> .....	24, 37, 40
<code>\pcp@RuleBetweenColor</code> .....	388, 425, 430, 434, 439
<code>\pcp@RuleBetweenColorDefault</code> ...	422, 425, 430
<code>\pcp@SetColor</code> .....	25, 31
<code>\pcp@SetCurrent</code> .....	66, 226, 241, 262, 290, 376, 398, 419
<code>\pcp@SwitchStack</code> ....	65, 91, 130, 276
<code>\pcp@temp</code> .....	428, 429, 432, 435, 440, 444, 446
<code>\pdfcolInitStack</code> .....	273, 274
<code>\pdfcolSetCurrent</code> .....	292, 294
<code>\pdfcolSetCurrentColor</code> .....	279
<code>\pdfcolSwitchStack</code> .....	277
<code>\penalty</code> .....	351, 415
<code>\ProcessOptions</code> .....	8
<code>\ProvidesPackage</code> .....	3
<b>R</b>	
<code>\repeat</code> .....	190, 259, 352, 416
<code>\RequirePackage</code> .....	9, 10, 265, 426
<code>\reserved@a</code> .....	48, 51
<code>\rightmargin</code> .....	302, 361
<b>S</b>	
<code>\set@color</code> .....	24, 25
<code>\setbox</code> .....	74, 88, 109, 127, 227, 242, 278, 285, 319, 337, 379, 401
<code>\space</code> .....	57
<code>\splittopskip</code> .....	145, 202, 307, 366
<code>\strut</code> .....	324, 384
<code>\strutbox</code> .....	320, 338, 380, 402
<b>T</b>	
<code>\textheight</code> 169, 178, 227, 228, 242, 243	
<code>\textwidth</code> 168, 177, 225, 240, 311, 370	
<code>\the</code> .....	26
<code>\thepage</code> .....	164, 172
<b>U</b>	
<code>\unvbox</code> .....	230, 245, 286, 287, 321, 339, 381, 403
<b>V</b>	
<code>\value</code> .....	221, 235
<code>\vbadness</code> .....	143, 200, 305, 364
<code>\vbox</code> 74, 88, 109, 127, 169, 178, 228, 243, 278, 285, 318, 336, 378, 400	
<code>\vfuzz</code> .....	144, 201, 306, 365
<code>\vrule</code> .....	327, 389
<code>\vspace</code> .....	181, 250
<code>\vsplit</code> .....	169, 178, 227, 242, 320, 338, 380, 402

	<b>X</b>	242, 245, 255, 301, 302, 304,
\x	53, 55, 58, 79, 96, 114, 135	317, 346, 360, 361, 363, 377, 410
	<b>Z</b>	\z@skip . . . 145, 202, 303, 307, 362, 366
\z@	153, 163, 186, 210, 220, 227, 230,	